

# Ferrocyl Injection

## Organic arsenic, iron and copper supplement

### COMPOSITION

Sodium cacodylate 6.4 mg/mL

Ferric chloride 0.68 mg/mL

Copper gluconate 0.19 mg/mL

### ACTIONS

\* FERROCYL is a preparation of organic arsenic, iron and copper of low toxicity to stimulate red blood cell production.

\* FERROCYL improves appetite in difficult eaters, and improves skin and coat condition.

\* FERROCYL promotes recovery from stress, debility, parasitism, poor nutrition.

\* FERROCYL assists horses under stress of training and racing.

FERROCYL is an injectible organic arsenic and mineral treatment for anaemias and debilitated states in horses.

FERROCYL combines the therapeutic properties of pentavalent arsenic compounds with readily available iron and copper. This combination makes FERROCYL suitable for treatment of iron responsive anaemias, and as a tool for stimulation of horses in debilitated states, slow convalescence, inappetance, and nutritional and performance related stress.

The organic arsenic in FERROCYL increases skin and gut blood circulation, promotes a healthy coat growth, and stimulates appetite, while the iron and copper stimulate red blood cell and haemoglobin production for improved blood counts, improved oxygen transport and improved performance. Copper is an essential component of many body functions.

### INDICATIONS

TO ASSIST IN TREATMENT OF IRON RESPONSIVE ANAEMIAS IN HORSES.

FERROCYL has particular application in the following states:

\* Shy, picky eaters. The effect is usually rapid, after only 2 - 3 injections. Good eaters will recover more rapidly from stress. With the return of normal appetite any anaemias are often quickly corrected.

\* To promote recovery from poor nutritional states, after worming or during hard training or convalescence from illness or injury.

\* For overtrained or run down performance horses under stress.

\* To improve horses brought into training after long spells.



\* After serious illness or injury, parasitism or chronic haemorrhage.

### DOSAGE AND ADMINISTRATION

Horses: Give 30 mL by intramuscular injection or as directed by your veterinary surgeon every second day. Repeat as indicated by a veterinary surgeon.

FERROCYL can be combined with VAM to provide all essential nutrients and co-factors for improved production of new red blood cells.

### WARNINGS

Export Slaughter Interval (Horses): NOT TO BE USED in horses that may be slaughtered for human consumption.

Caution: Sodium cacodylate is an organic arsenic compound.

Do not use arsenic preparations for continuous treatment. A period of at least one month should pass before treatments are repeated.

### PRESENTATION

100 mL sterile glass multidose vial.

### STORAGE

Store below 25° C (Air Conditioning). Protect from light.

### AVAILABILITY

For General Sale (APVMA 52510)

### SEE ALSO

Pre-Ferrin, VAM, Jurocyl

### NOTES

Ferrocyl Indicated whenever anaemia is evident. Many fit, athletic horses have a degree of anaemia. Horses which are difficult eaters, recovering from illness, injury or parasitism, stressed from hard training and racing, or recovering from blood loss may all respond positively to FERROCYL. Provide all other essential nutrients and co-factors to improve blood production by combining with VAM paste two to three times weekly.